Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	manager near discover near agent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 11:21
L3	11	manager near5 discover near5 agent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 11:22
S1	2	(authentica$3 adj (agent, unit)) and (authentica$3 adj (manager, administrator, master)) and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 19:00
S3	637	S2 and communicat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 19:04
S4	4	S3 and (authentication adj task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 19:05
S6	10	((authentication adj system) same (agent, unit, slave) same (manager, master)) and parameter and table and service	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 19:54
S7	2	"6463474".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 19:15
S8	2	"6856800".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 19:15

S10	21	(authentication adj system) and ((agent, unit, slave) with (manager, master)) and parameter and (look$up adj table) and service and valid and response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 20:02
S19	3	multiple adj authenticat$3 adj (unit, agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 20:06
S21	6	multiple adj authenticat$3 with (unit, agent) and (manager, master, administrator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 20:28
S23	8	multiple near authenticat$3 with (unit, agent) and (manager, master, administrator, supervisor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 20:30
S24	263	(authentication adj system) and (distribut$3 with (agent, unit, slave)) and (manager, master, administator, supervisor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 20:34
S27	96	S24 and response and service and parameter and (look$up adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 20:34
S38	86	extensible adj authentication and (agent, unit) and (manager, master, administrator, supervisor) and service	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 20:52
S42	32	(authentication adj system) and (((authenticat$3, verifi$6) with (agent, unit, entity, slave)) with ((authenticat$3, verifi$6) with (manager, master, administrator, supervisor))) and parameter and table and service and valid and response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 10:58

S46	65	distribut$3 with authenticat$3 and (authenticat$3 near (manager, supervisor)) and (parameter, attrib$3, field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:01
S56	37	(((authentica$3, verif$7) adj system) with (code, program)) and ((manager, supervisor) with (agent, slave, component, leave)) and (parameter, field, attrib$3) and response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:07
S59	12	((various, different, plurality) adj2 authentication near (parameters)) and (code, program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 19:27
S66	42	authentica$3 with agent with manager	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 19:36
S75	215	(authenticat$3 near3 parameter) and ((manager, supervisor, mastre) and (agent, representative, leaves)) and response and transmit$3 and (valid, correct) and (task, job) and (code, software) and discover$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 19:59
S81	15	authentica$3 with (access with peripheral) and (manager, supervisor) and (agent, representative, leave, object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 17:54
S86	24	(authentica$3, verif$7, valid$$6, confirm$4) with (access with peripheral) and (manager, supervisor, director) and (agent, representative, leave) and (response, result) and valid and (program adj code) and configur$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 18:02
S89	42	software with configur$4 with authentica$3 and (delegat$3, distribut$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 18:05

S97	66	(object$orient$2, (object adj orient$2)) and (authenticat$3 same (manager, superviser, director) same (agent, representative, delegate, leave))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 20:18
S100	110	(object$orient$2, (object adj orient$2)) and ((authenticat$3, verif$7, certif$4) same (manager, superviser, director) same (agent, representative, delegate, leave)) and (response, reply, message) and (parameter, argument, field, attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 20:34
S104	13	authentication same (manager, superviser, director, node) same (agent, representative, delegate, lea$3) same (parameter, argument) same user and ((program adj code) or (object-orient$2) or (object$orient$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 20:49
S107	34	(parameter near authenticat$3) and (manager, suprvisor, director, controller) and (agent, leave, node, representative, subsystem) and service and (task, assignment) and service and transmit$3 and (paramenter, argument)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 08:32
S118	22	(parameter near (authenticat$3 or verif$7)) and ((manager, suprvisor, director) with (verif$4, authenticat$3, valida$4)) same (agent, leave, node, representative, subsystem)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 08:59
S120	176	(parameter near (authenticat$3 or verif$7)) and ((manager, suprvisor, director, component) with (verif$4, authenticat$3, valida$4)) same (agent, leave, node, representative, subsystem, component) and service and (task, assignment) and service and transmit$3 and (parameter, argument) and call	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 09:01
S124	49	(parameter near (authenticat$3 or verif$7)) and ((manager, suprvisor, director, component) with (verif$4, authenticat$3, valida$4)) same (agent, leave, node, representative, subsystem, component) and (object with program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 09:17

S12 8	30	(parameter near (authenticat$3 or verif$7)) and 713/200-201.ccls. and ((plurality, multiple) with (agent, verifier, component))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 09:30
S13 1	22	(parameter near (authenticat$3 or verif$7)) and "713"/.ccls. and ((plurality, multiple, number) with (verify$3, authenticat$3) with (agent, verifier, component))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 09:40
S13 3	30	(parameter near (authenticat$3 or verif$7)) and ((plurality, multiple, number) with (verify$3, authenticat$3) with (agent, verifier, component)) and service and (response, reply) and (transmit$3, send$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 09:41
S14 0	5	(authenticat$3 adj system) and (verify$3 with (parameter, argument)) and ((various, multiple, plurality) near3 (agent, component, representative, slave))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:57
S14 6	204	((parameter, argument) with authenticat$3 with system) and ((multiple, plurality, many, distribut$3) with (agent, component, object, leave)) and response and service and (search$3, discover$3) and transmit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 09:08
S15 1	18	((parameter, argument) with authenticat$3 with system) and ((multiple, plurality, many, distribut$3) with (agent)) and (response, answer, reply) and service and (search$3, discover$3) and (transmit$3, send$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 09:20
S15 4	41	(parameter with distribution with (authentication, verification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 10:14
S15 7	13	(parameter with (distribut$3, allocat$3) with (authentication, verification)) and agent and manager	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 10:17

S16 1	66	(parameter with (authentication, verification)) and agent and manager and response and (transmit$3, send$3) and (discover, find) and (authentication with (task, mission, assignment, undertaking))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 10:22
S16 2	18	(authorization with verification) and ((parameter, argument) adj (authenticat$3, verif$7)) and manger and agent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 10:32
S16 7	235	((parameter, argument, user) near3 (identif$6, verif$7)) and manager and agent and (authenticat$3 with (task, job, assignment, undertaking$3)) and (transmit$3, send$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 10:42
S17 0	14	(parameter near3 (identif$6, verif$7)) and manager and agent and (authenticat$3 with (task, job, assignment, undertaking$3)) and (transmit$3, send$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 12:01
S17 5	18	((authentication, verifiation) adj task) and agent and manager	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:28
S17 7	47	((authentication, verifiation) adj task) and (agent, component) and (manager, master)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:31
S17 8	4	"998914".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:31
S18 3	65	(extensible adj2 authentication) and (parameter, argument, attribute) and (agent, component, representative, slave) and (manager, director, supervisor, master)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 13:36

S196	55	((external, outside) with authentication with service) same(call, invok$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 19:14
S199	3	((external, outside) with authentication with service) same ((call$3, invok$3, summon$3) same (parameter, argument, attribute))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 12:40
S202	2	((external, outside) near authentication) same ((call$3, invok$3, summon$3) same (parameter, argument, attribute))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 12:42
S204	31	(extensible adj authentication) and manager and agent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 19:24
S221	109	((transmit$3, send$3) with (valid, correct, appropriate) with ((unrecogn$5) or (different near (type, parameter, argument))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 13:40
S228	48	((valid, correct, appropriate) with ((unrecogn$5, different) with (type, parameter, argument))) with (authenticat$3, verif$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 14:33
S233	6	((valid, correct, applicable) near (message, response)) same ((different, unrecogniz$3) adj (parameter, variable, argument, attribute))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 14:40
S236	13	((valid, correct, applicable) near (message, response, reply, feedback)) same ((different, type , unrecogniz$3) adj (parameter, variable, argument, attribute))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 14:43

S27 1	39	((verificat$3, authenticat$3, valid$3) with (error, improper) with (message, response)) same agent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 10:07
S27 2	42	((verificat$3, authenticat$3, valid$3) with (error, improper) with (message, response, reply, answer)) same agent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 11:20